

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Fig. 1






Fig. 2(a)



Fig. 2(b)

Fig. 3






Fig. 4(a)




Fig. 4(b)

Fig. 5(a)



Fig. 5(b)



Fig. 5(c)



Fig. 6

B16
treated serum

control




Fig. 7

MRSA
treated serum

control



Fig. 8

Candida
treated serum

control



Fig. 9

**Pseudomonas
treated serum**

control



Fig. 10

**Mycobacterium
treated serum**

control




Fig. 11(a)




Fig. 11(b)




Fig. 11(c)




Fig. 11(d)



Fig. 11(e)






Fig. 12(a)




Fig. 12(b)

Fig. 13

complex materials
treated serum

control

